

Notice of Allowability

Application No.

10/768,113

Examiner

Anatoly Vortman

Applicant(s)

YATOUGO ET AL.

Art Unit

2835

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 11/05/04.
2. ☒ The allowed claim(s) is/are 1-5, 8-13, and 16-25, renumbered respectively.
3. ☒ The drawings filed on 02 February 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 10/166,686.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 1204.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.



Anatoly Vortman
Primary Examiner
Art Unit 2835

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with **Mr. Surinder Sachar, Reg. No. 34,423 on 12/16/04.**

The application has been amended as follows:

In **claim 18**, line 12 of the claim, following "panel; and" and beginning from the new line: --an inlet and an outlet formed in one of said first panel unit and said second panel unit and communicating with the inside of one of said panel units;-- has been inserted in order to provide proper antecedent basis for "said inlet and said outlet" recited in line 13 of the claim. The scope of the claim has not been changed by the aforementioned amendment.

2. The following is an examiner's statement of reasons for allowance:

The allowability resides in the overall structure of the device as recited in independent claims 1, 8, 16, 18, 21, 22, 24, and 25, and at least in part, because of the following:

Regarding claims 1 and 8, claims as amended recite: "the cooling panel forms a U-shape". The aforementioned limitations in combination with all remaining limitations of the claims, are believed to render said independent claims 1 and 8 and claims 2-5 and 9-13 depended therefrom patentable over the art of record.

Regarding claims 16-21, the reasons for allowance have been earlier presented in paragraph # 6 of the non-final Office action mailed on 08/10/2004.

Regarding newly added claims 22-25, the independent claims 22, 24, and 25 correspond to previously objected (i.e. allowed) dependent claims 9, 12, and 13, respectively, reasons for allowance of which have been also earlier presented in paragraph # 6 of the non-final Office action mailed on 08/10/2004.

Thus, in view of the above, the record appears clear as to the reasons for allowance of all claims pending in the instant application.

None of the references cited during prosecution of the instant application, either taken alone or in combination is believed to render the present invention unpatentable as claimed.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anatoly Vortman whose telephone number is 571-272-2047. The examiner can normally be reached on Monday-Friday, between 10:00 am and 6:30 pm..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. Lynn Feild can be reached on 571-272-2092. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2835

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Anatoly Vortman
Primary Examiner
Art Unit 2835

AV

A. Vortman —